Certificate of Analysis

FREEDOM DIAGNOSTICS

Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Accession Number	2603090192
Client	Unique ChemX
Search Code	Uniq2603090192

Received Date:	03/09/2026
Reported Date:	03/10/2026

Product	Retatrutide 30mg
Net Peptide Content	27.19 mg
Identity	GLP RT

Lot	RT30-2602-02
Purity	99.8%
Appearance	White Lyophilized Powder

All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry

Mass Identification	Result
GLP RT	**99.8%**





Alex Johnson

Alex Johnson

Principal Chemist

COA: 2603090192

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Certificate of Analysis

FREEDOM DIAGNOSTICS

Proudly Owned and Operated in the USA

Searchable via: FreedomDiagnosticsTesting.com

Accession Number	2603090193
Client	Unique ChemX
Search Code	Uniq2603090193

Received Date:	03/09/2026
Reported Date:	03/10/2026

Product	Retatrutide 30mg

Lot	RT30-2602-02

All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines. *Endotoxin limits are established per USP <85> Bacterial Endotoxins Test and USP <161> Medical Devices—Bacterial Endotoxin and Pyrogen Tests.

Endotoxin Threshold	Result
Replicate 1	**Pass**
Replicate 2	**Pass**

Alex Johnson

Alex Johnson

Principal Chemist

COA: 2603090193

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.